


Titanium All Road

SIZING AND SPECS





COMPONENTS	
Bottom Bracket	BSA (Threaded) 68mm BB
Axle Spacing	Front Axle: 100x12mm Rear Axle: 142x12mm
Tire Clearance	700 x 53c OR 650 x 2.25"
Seatpost	27.2mm diameter

BICYCLE SIZING AND GEOMETRY

			A	B	C	D	E	F	G
INSEAM (IN.)	HEIGHT (FT AND IN.)	SEAT TUBE LENGTH (CM)	CHAIN STAY (CM)	EFFECTIVE TOP TUBE (CM)	FORK OFFSET (CM)	HEAD TUBE (CM)	HEAD TUBE ANGLE	SEAT TUBE (CM)	SEAT TUBE ANGLE
29"-31"	5'1"-5'6"	46 (XS)	43.7	51.7	4.5	12.5	70.25°	46	75°
31"-32"	5'5"-5'9"	48 (S)	43.7	52.7	4.5	14.5	70.25°	48	74°
32-33"	5'8"-5'11"	52 (M)	43.7	55.2	4.5	16.5	70.5°	52	73.5°
33"-34"	5'10"-6'1"	55 (L)	43.7	58.3	4.5	19.5	71°	55	73°
34"-36"	6'0"-6'4"	57 (XL)	43.7	60.4	4.5	21.5	71.5°	57	72.5°

DETAILED SIZING AND SPEC GUIDE

	XS (46cm)	S (48cm)	M (52cm)	L (55cm)	XL (57cm)
HEIGHT RECOMMENDATIONS	5'1" to 5'6"	5'5" to 5'9"	5'8" to 5'11"	5'10" to 6'1"	6'0" to 6'4"
BB DROP	71	71	69	69	68
CHAIN STAY LENGTH	437mm	437mm	437mm	437mm	437mm
EFFECTIVE TOP TUBE LENGTH	517mm	527mm	552mm	583mm	604mm
FORK OFFSET	45mm	45mm	45mm	45mm	45mm
HEAD TUBE LENGTH	125mm	145mm	165mm	195mm	215mm
HEAD TUBE ANGLE	70.25°	70.25°	70.5°	71°	71.5°
REACH	367mm	364mm	376mm	392mm	403mm
SEAT TUBE	460mm	480mm	520mm	550mm	570mm
SEAT TUBE ANGLE	75°	74°	73.5°	73°	72.5°
STACK	560mm	580mm	597mm	627mm	647mm
STANDOVER HEIGHT (700*38C)	29.5"	30.75"	32"	32.75"	33.5"
WHEEL BASE	1021mm	1025mm	1042mm	1063mm	1077mm
FRAME WEIGHT*	1870g	1870g	1870g	1870g	1870g

*Based on medium frame